

- 1 WC, S=3.50mp, Hc=3.25m, mozaic


2 Spalator, S=3.54mp, Hc=3.25m, mozaic

3 Hol, S=4.87mp, Hc=3.25m, mozaic

4 Hol, S=6.27mp, Hc=3.25m, mozaic

5 Spalator, S=1.54mp, Hc=3.25m, mozaic

6 WC, S=1.90mp, Hc=3.25m, mozaic



Categoria de importanta "C" normala  
Zona seismica cu  $a_g=0.20g$ , perioada de colt  $T_c=0.7$  sec. conf. P100-1/2006.  
Gradul II de rezistentă la foc conf. P118-99.  
Bilanț teritorial:  
 $A_c=304.29 \text{ m}^2$   
 $A_u=1075.74 \text{ m}^2$   
 $A_d=1323.74 \text{ m}^2$

VERIFICATOR				REFERAT DE VERIFICARE NR.	
EXPERT					DATA
S.C. PROEXAP SRL				BENEFICIAR: SPITALUL CLINIC JUDETEAN DE BOLI INFECTIOASE "SF. PARASCHEVA", JUD. IASI	Pr. nr 05-08/10
IASI, str. BACINSCHI nr. 7, Tel/Fax: 0232-251101, 0723-789567				PROIECT:CONSOLIDARE, REABILITARE ȘI REFUNȚIONALIZARE PAVILION VI	Faza DALI
SEF PROIECT	ing. ELENA GRUMĂZESCU		Scara 1:100	PLAN ETAJ II EXISTENT	Plansa A.7.
RELEVAT	ing. C. SORIN SCUTARAȘU				
DESENAT	ing. C. SORIN SCUTARAȘU		Data 08.2010		
APROBAT	ing. ELENA GRUMĂZESCU				