



Fundatia F5 - 2,00x2,00m - 250buc.

Scara 1:20




Sectiunea 1-1

Scara 1:20





Sectiunea 2-2

Scara 1:20



BETON MARCA:
- C25/30, dozi min de ciment:
320 kg/mc; raport A/C maxm 0,45;
T4-P4 I/A 32,5/0-16
- C12/15, dozi min de ciment:
290 kg/mc; raport A/C maxm 0,5;
C12/15-T5-P4 I/A 32,5/0-31
- C8/10, dozi min de ciment:
200 kg/mc; raport A/C maxm 0,50;
C8/10-T5-P4-I/A 32,5/0-31
OTEL BETON: OB37, PC52
Acoperire cu beton: -in fundatii: 4,5cm
-C25/30: -in stapi
-in diaframe
-C12/15: -in fundatii izolate
-in placa pe sol
-C8/10: -in betonul de egalizare

PLANSA VALABILA DOAR PENTRU FAZA D.T.A.C.

Obiectivul		Beneficiar:	
SALA MULTIFUNCTIONALA ION MOINA		CONSILIUL LOCAL AL MUNICIPIULUI CLUJ-NAPOCA	
Amplasament: Cluj-Napoca, str. Uzinei Electrice		str. Mottilor nr.3, Jud. Cluj	
		PROIECTANT GENERAL UNIVERSITATEA TEHNICA DIN CLUJ-NAPOCA str. Constantin Dăscoviciu nr.15 Cluj-Napoca, Romania	
		PROIECTANT RESISTENTA SC BOGART CONSTRUCT SRL Nr. Integ.J12/882/1999, 400699 Cluj-Napoca Bd.1 Dec. 1918, nr. 38 eMail: office@bogartconstruct.ro fax +4 0264 582749 tel +4 0264 585782	
Licentie: AutoCAD LT 2007 EN CD (05727-091452-9000), ArchiCAD 10 Certificari: SR EN ISO 9001:2008, SR EN ISO 14001:2005		Denumire plansa: DETALIU FUNDATIE F5	
Self proiect rezistenta Ing. Bogdan Petrina			
Proiectat Ing. Madalina Popescu			
Desenat Ing. Madalina Popescu			
Verificat intern Ing. Nicoale Socaciu			
Data	Scara	Format	Nr. proiect Faza Plansa nr.
10.2009	1:20	420x594mm	31/2009D.T.A.C. RDTAC05