



Sectiunea a-a

Scara 1:20



Sectiunea c-c

Scara 1:20



PLANSĂ VALABILĂ DOAR PENTRU FAZA D.T.A.C.

BETON MARCA:	
- C25/30, dozoj minim de ciment: 320 kg/mc; raport A/C maxim 0,45; T4-P4 II/A 32,5R/0--16	
- C12/15, dozoj minim de ciment: 290 kg/mc; raport A/C maxim 0,5; C12/15-T3-P4 I,II/A 32,5/0--31	
- C8/10, dozoj minim de ciment: 200 kg/mc; raport A/C maxim 0,50; C8/10-T3-P4-II/A 32,5/0--31	
OTEL BETON: OB37, PC52	
Acoperirea cu beton: -in fundatii: 4,5cm	
-C25/30: -in stalpi	-in diafragme
-C12/15: -in fundatiile izolate	-in placa pe sol
-C8/10: -in betonul de egalizare	

Obiectivul SALA MULTIFUNCTIONALA ION MOINA		Beneficiar: CONSILIUL LOCAL AL MUNICIPIULUI CLUJ-NAPOCA	
Amplasament: Cluj-Napoca, str. Uzinei Electrice		str. Motilor nr.3, jud. Cluj	
		PROIECTANT GENERAL UNIVERSITATEA TEHNICA DIN CLUJ-NAPOCA str. Constantin Dalcoviciu nr.15 Cluj-Napoca, Romania	
		Denumire plansa: SC BOGART CONSTRUCT SRL Nr. Inreg. J12/882/1999, 400699 Cluj-Napoca Bd.1 Dec. 1918, nr. 38 eMail: office@bogartconstruct.ro fax +4 0264 582749 tel +4 0264 585782	
Licente: AutoCAD LT 2007 EN CD (05727-091452-9000), ArchiCAD 10		Sectiunea a-a Sectiunea c-c	
Certificari: SR EN ISO 9001:2008, SR EN ISO 14001:2005			
Sef proiect rezistenta		Ing. Bogdan Petrina	
Proiectat		Ing. Madalina Popescu	
Desenat		Ing. Madalina Popescu	
Verificat intern		Ing. Nicoale Socaciu	
Data		Scara	Format
10.2009		1:20	297x420mm
		Nr. proiect	Faza
		31/2009	D.T.A.C.
		Plansa nr. R\DTAC\06	