



Fundatia F6 - 2.70x2.70m-4 buc.

Scara 1:20





# Sectiunea 1-1

Scara 1:20





## Secțiunea 2-2

Scara 1:20



**BETON MARCĂ:**  
 – C25/30, dozaj minim de ciment: 320 kg/m<sup>3</sup>, raport H<sub>2</sub>O/C maxim 0,45; 1+4+1/1 A 32,5/0–16  
 – C17/15, dozaj minim de ciment: 230 kg/m<sup>3</sup>, raport H<sub>2</sub>O/C maxim 0,5; C17/15–13+4/1/1 A 32,5/0–31  
 – C8/10, dozaj minim de ciment: 200 kg/m<sup>3</sup>, raport H<sub>2</sub>O/C maxim 0,50; C8/10–13–4+1/1 A 32,5/0–31

**OTEL BETON: B30C3, P352**  
 Acoperenii cu beton: – în fundul: 4,5cm  
 C25/30 – în stâlpi  
 – în doborâre  
 – C12/15 – în fundul: izolat  
 – în placa pe sol  
 – C8/10 – în betoniul de egalizare

Obiectivul			Beneficiar:		
SALA MULTIFUNCTIONALA ION MOINA			CONSILIUL LOCAL AL MUNICIPIULUI CLUJ-NAPOCA		
Amplasament: Cluj-Napoca, str. Uzinel Electrice			sfr. Moller nr.3, jud. Cluj		
<div> <b>UNIVERSITATEA TEHNICA</b> CLUJ-NAPOCA</div>			PROIECTANT GENERAL <b>UNIVERSITATEA TEHNICA DIN CLUJ-NAPOCA</b> str. Constantin Dăncușu nr.1,5 Cluj-Napoca, Romania		
<div> <b>boogart construct</b></div>			PROIECTANT REZISTENȚA <b>SOCIETATEA BOOGART CONSTRUCT SRL</b> Nr. Imbaj12/6821999 40899 Cluj-Napoca Bd.1 Dec. 1918, nr. 38 email: office@boogartconstruct.ro fax +4 0264 5852749 tel +4 0264 585782		
Licență: A465042 17 / 2007 En Cl (05727491452-900), A465042 10 Certificat: SR EN ISO 9001:2008, SR EN ISO 14001:2005 Self protect rezistența Protectat Desenat Verificat intern			Ing. Bogdan Perina Ing. Madalina Popescu Ing. Nicolae Socaci		
Data			Nr. proiect		
Scara			Faza		
Format			Planșă nr.		
10.2009			31/2009/D.T.A.C.		
			R/DTAC/04		
			DETALIU		
			FUNDATIE F6		